

RICHLEY DENTAL CERAMICS LTD

209-215 Long Lane
Halesowen
West Midlands
B62 9JT

T: 0121 421 4775

E mail: chloe.hadley@bupadentalcare.co.uk

DAMAS Reg No: 110174
MHRA Reg No: CA001184



PROSTHETICS, CHROMES & ORTHODONTIC PRESCRIPTION

Kam Paul - Laboratory Manager



Disinfected

Surgeon & Address A custom made device for the exclusive use of: Patient Please tick service required: Private/Independent <input type="checkbox"/> NHS <input type="checkbox"/>	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">SPECIAL TRAYS <input type="checkbox"/></td> <td style="width:40%;">Delivery Date [][] [][] Please date day before appointment</td> <td style="width:10%; text-align: center;">Lab use <input type="checkbox"/></td> </tr> <tr> <td>BITE <input type="checkbox"/></td> <td>Delivery Date [][] [][] Please date day before appointment</td> <td style="text-align: center;">Lab use <input type="checkbox"/></td> </tr> <tr> <td>CHROME BITE <input type="checkbox"/></td> <td></td> <td></td> </tr> </table>	SPECIAL TRAYS <input type="checkbox"/>	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>	BITE <input type="checkbox"/>	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>	CHROME BITE <input type="checkbox"/>																																						
SPECIAL TRAYS <input type="checkbox"/>	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																												
BITE <input type="checkbox"/>	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																												
CHROME BITE <input type="checkbox"/>																																														
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">CASE TYPE</td> <td style="width:10%; text-align: center;">U/-</td> <td style="width:10%; text-align: center;">-/L</td> <td style="width:10%;"></td> <td style="width:10%; text-align: center;">U/-</td> <td style="width:10%; text-align: center;">-/L</td> </tr> <tr> <td>Acrylic Denture</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Orthodontic Appliance</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Chrome & Acrylic</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Night Guard</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Chrome Only</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Mouth Guard</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Flexible</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Bleaching Tray</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td></td> <td>Hard Michigan/ Tanner appliance</td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table> <div style="text-align: center; margin-top: 10px;"> </div>	CASE TYPE	U/-	-/L		U/-	-/L	Acrylic Denture	<input type="checkbox"/>	<input type="checkbox"/>	Orthodontic Appliance	<input type="checkbox"/>	<input type="checkbox"/>	Chrome & Acrylic	<input type="checkbox"/>	<input type="checkbox"/>	Night Guard	<input type="checkbox"/>	<input type="checkbox"/>	Chrome Only	<input type="checkbox"/>	<input type="checkbox"/>	Mouth Guard	<input type="checkbox"/>	<input type="checkbox"/>	Flexible	<input type="checkbox"/>	<input type="checkbox"/>	Bleaching Tray	<input type="checkbox"/>	<input type="checkbox"/>				Hard Michigan/ Tanner appliance	<input type="checkbox"/>	<input type="checkbox"/>	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">TRY-IN</td> <td style="width:40%;">Delivery Date [][] [][] Please date day before appointment</td> <td style="width:10%; text-align: center;">Lab use <input type="checkbox"/></td> </tr> <tr> <td style="margin-top: 20px;"> <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">SHADE</td> <td style="width:50%;">MOULD</td> </tr> <tr> <td style="text-align: center;">[][] [][]</td> <td style="text-align: center;">[][] [][]</td> </tr> </table> </td> <td style="text-align: center;">Lab use <input type="checkbox"/></td> </tr> </table>	TRY-IN	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">SHADE</td> <td style="width:50%;">MOULD</td> </tr> <tr> <td style="text-align: center;">[][] [][]</td> <td style="text-align: center;">[][] [][]</td> </tr> </table>	SHADE	MOULD	[][] [][]	[][] [][]	Lab use <input type="checkbox"/>
CASE TYPE	U/-	-/L		U/-	-/L																																									
Acrylic Denture	<input type="checkbox"/>	<input type="checkbox"/>	Orthodontic Appliance	<input type="checkbox"/>	<input type="checkbox"/>																																									
Chrome & Acrylic	<input type="checkbox"/>	<input type="checkbox"/>	Night Guard	<input type="checkbox"/>	<input type="checkbox"/>																																									
Chrome Only	<input type="checkbox"/>	<input type="checkbox"/>	Mouth Guard	<input type="checkbox"/>	<input type="checkbox"/>																																									
Flexible	<input type="checkbox"/>	<input type="checkbox"/>	Bleaching Tray	<input type="checkbox"/>	<input type="checkbox"/>																																									
			Hard Michigan/ Tanner appliance	<input type="checkbox"/>	<input type="checkbox"/>																																									
TRY-IN	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																												
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">SHADE</td> <td style="width:50%;">MOULD</td> </tr> <tr> <td style="text-align: center;">[][] [][]</td> <td style="text-align: center;">[][] [][]</td> </tr> </table>	SHADE	MOULD	[][] [][]	[][] [][]	Lab use <input type="checkbox"/>																																									
SHADE	MOULD																																													
[][] [][]	[][] [][]																																													
CLASPS <input type="checkbox"/> Acetal <input type="checkbox"/> Reach <input type="checkbox"/> Clear <input type="checkbox"/> J Clasp	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">RE-TRY</td> <td style="width:40%;">Delivery Date [][] [][] Please date day before appointment</td> <td style="width:10%; text-align: center;">Lab use <input type="checkbox"/></td> </tr> </table>	RE-TRY	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																										
RE-TRY	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																												
SPECIAL INSTRUCTIONS FOR LAMINATES / SPLINTS: 	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">FINISH</td> <td style="width:40%;">Delivery Date [][] [][] Please date day before appointment</td> <td style="width:10%; text-align: center;">Lab use <input type="checkbox"/></td> </tr> </table>	FINISH	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																										
FINISH	Delivery Date [][] [][] Please date day before appointment	Lab use <input type="checkbox"/>																																												
LABORATORY USE ONLY Imps sent <input type="checkbox"/> Bite reg. sent <input type="checkbox"/> Bites sent <input type="checkbox"/> Other <input type="checkbox"/> Models sent <input type="checkbox"/> Email information <input type="checkbox"/>	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">TEETH TO BE EXTRACTED AT FINISH [][] [][] [][] [][]</td> <td style="width:40%;"> <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Gum Characterisation</td> <td style="width:50%; text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Patient Name (ID Tag)</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Clear Palate</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Soft Lining</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table> </td> </tr> </table>	TEETH TO BE EXTRACTED AT FINISH [][] [][] [][] [][]	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Gum Characterisation</td> <td style="width:50%; text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Patient Name (ID Tag)</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Clear Palate</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Soft Lining</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>	Gum Characterisation	<input type="checkbox"/>	Patient Name (ID Tag)	<input type="checkbox"/>	Clear Palate	<input type="checkbox"/>	Soft Lining	<input type="checkbox"/>																																			
TEETH TO BE EXTRACTED AT FINISH [][] [][] [][] [][]	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Gum Characterisation</td> <td style="width:50%; text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Patient Name (ID Tag)</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Clear Palate</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Soft Lining</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>	Gum Characterisation	<input type="checkbox"/>	Patient Name (ID Tag)	<input type="checkbox"/>	Clear Palate	<input type="checkbox"/>	Soft Lining	<input type="checkbox"/>																																					
Gum Characterisation	<input type="checkbox"/>																																													
Patient Name (ID Tag)	<input type="checkbox"/>																																													
Clear Palate	<input type="checkbox"/>																																													
Soft Lining	<input type="checkbox"/>																																													
Special Delivery <input type="checkbox"/> Express turnaround (please call in advance) <input type="checkbox"/>	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">CONTRACT When signed for release, this device conforms to the relevant essential requirements set out in Annex 1 of the Medical Devices Directive (93/42) EEC). If there are any essential requirements not met these will be stated. This statement does not apply to repair etc. of a pre-manufactured appliance. The laboratory will manufacture the appliance as per the prescription, it is the prescribers responsibility to ensure that the prescription is completed correctly and complies to dental regulations.</td> <td style="width:40%; text-align: center;">Lab use <input type="checkbox"/></td> </tr> </table>	CONTRACT When signed for release, this device conforms to the relevant essential requirements set out in Annex 1 of the Medical Devices Directive (93/42) EEC). If there are any essential requirements not met these will be stated. This statement does not apply to repair etc. of a pre-manufactured appliance. The laboratory will manufacture the appliance as per the prescription, it is the prescribers responsibility to ensure that the prescription is completed correctly and complies to dental regulations.	Lab use <input type="checkbox"/>																																											
CONTRACT When signed for release, this device conforms to the relevant essential requirements set out in Annex 1 of the Medical Devices Directive (93/42) EEC). If there are any essential requirements not met these will be stated. This statement does not apply to repair etc. of a pre-manufactured appliance. The laboratory will manufacture the appliance as per the prescription, it is the prescribers responsibility to ensure that the prescription is completed correctly and complies to dental regulations.	Lab use <input type="checkbox"/>																																													
Approved for manufacture by: _____	Released by: _____																																													
THIS COMPLETE APPLIANCE HAS BEEN WHOLLY MANUFACTURED WITHIN THE UK																																														

Keep away from extreme hot and cold. Non Sterile appliance

RICHLEY DENTAL CERAMICS LTD

209-215 Long Lane
Halesowen
West Midlands
B62 9JT

T: 0121 421 4775

E mail: chloe.hadley@bupadentalcare.co.uk

DAMAS Reg No: 110174
MHRA Reg No: CA001184



CROWN & BRIDGE PRESCRIPTION

Kam Paul - Laboratory Manager



Disinfected

<p>Surgeon & Address</p> <hr/> <p>A custom made device for the exclusive of: Patient</p> <p><i>Please tick service required:</i> Private/Independent <input type="checkbox"/> NHS <input type="checkbox"/></p> <p>Date Required <input style="width: 20px;" type="text"/> <input style="width: 20px;" type="text"/> <input style="width: 20px;" type="text"/> Please date day before appointment</p>	<p>CROWN & BRIDGE WORK</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">CAD-CAM</th> <th style="text-align: center;">Non-Precious</th> <th style="text-align: center;">Precious</th> </tr> </thead> <tbody> <tr><td>Porcelain Bonded Crown</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Porcelain Bonded Bridge</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Non-precious crown silver</td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td><td></td></tr> <tr><td>33% + Silver Crown</td><td></td><td></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>33% Yellow Crown</td><td></td><td></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>60% Yellow Crown</td><td></td><td></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Inlay 60% + yellow</td><td></td><td></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Post & Core</td><td></td><td style="text-align: center;"><input type="checkbox"/></td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Maryland Bridge (Sand blasted, etched)</td><td style="text-align: center;"><input type="checkbox"/></td><td></td><td style="text-align: center;">Lab use</td></tr> <tr><td>Rochette Bridge (Sand blasted, etched)</td><td style="text-align: center;"><input type="checkbox"/></td><td></td><td style="text-align: center;"><input type="checkbox"/></td></tr> </tbody> </table>		CAD-CAM	Non-Precious	Precious	Porcelain Bonded Crown	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Porcelain Bonded Bridge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Non-precious crown silver	<input type="checkbox"/>	<input type="checkbox"/>		33% + Silver Crown			<input type="checkbox"/>	33% Yellow Crown			<input type="checkbox"/>	60% Yellow Crown			<input type="checkbox"/>	Inlay 60% + yellow			<input type="checkbox"/>	Post & Core		<input type="checkbox"/>	<input type="checkbox"/>	Maryland Bridge (Sand blasted, etched)	<input type="checkbox"/>		Lab use	Rochette Bridge (Sand blasted, etched)	<input type="checkbox"/>		<input type="checkbox"/>
	CAD-CAM	Non-Precious	Precious																																										
Porcelain Bonded Crown	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																										
Porcelain Bonded Bridge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																										
Non-precious crown silver	<input type="checkbox"/>	<input type="checkbox"/>																																											
33% + Silver Crown			<input type="checkbox"/>																																										
33% Yellow Crown			<input type="checkbox"/>																																										
60% Yellow Crown			<input type="checkbox"/>																																										
Inlay 60% + yellow			<input type="checkbox"/>																																										
Post & Core		<input type="checkbox"/>	<input type="checkbox"/>																																										
Maryland Bridge (Sand blasted, etched)	<input type="checkbox"/>		Lab use																																										
Rochette Bridge (Sand blasted, etched)	<input type="checkbox"/>		<input type="checkbox"/>																																										
<p>Staining & Characteristics</p> <p>Shade: -----</p> <p style="font-size: small;">8 7 6 5 4 3 2 1 1 2 3 4 5 6 7 8 8 7 6 5 4 3 2 1 1 2 3 4 5 6 7 8</p> <p>Tooth Surface: <input type="button" value="Smooth"/> <input type="button" value="Medium"/> <input type="button" value="Rough"/></p> <p style="text-align: center;">Pontic Design:</p> <p style="text-align: center;">Collar and Metal Design:</p> <p style="text-align: center;">Occlusion:</p>	<p>METAL FREE RESTORATIONS</p> <table style="width:100%; border-collapse: collapse;"> <tbody> <tr><td>Zirconia</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>E-max</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Composite</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Porcelain Veneer - to cover natural coloured teeth</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Porcelain Veneer - for mildly discoloured teeth</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Porcelain Veneer - for severe discolouration</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>PJC</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Porcelain Inlay</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Dentine Bonded Crown</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Temp. Crowns/Bridges</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Stent</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Wax up</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Study Model</td><td style="text-align: center;"><input type="checkbox"/></td></tr> </tbody> </table> <p style="text-align: right;">Lab use <input type="checkbox"/></p>	Zirconia	<input type="checkbox"/>	E-max	<input type="checkbox"/>	Composite	<input type="checkbox"/>	Porcelain Veneer - to cover natural coloured teeth	<input type="checkbox"/>	Porcelain Veneer - for mildly discoloured teeth	<input type="checkbox"/>	Porcelain Veneer - for severe discolouration	<input type="checkbox"/>	PJC	<input type="checkbox"/>	Porcelain Inlay	<input type="checkbox"/>	Dentine Bonded Crown	<input type="checkbox"/>	Temp. Crowns/Bridges	<input type="checkbox"/>	Stent	<input type="checkbox"/>	Wax up	<input type="checkbox"/>	Study Model	<input type="checkbox"/>																		
Zirconia	<input type="checkbox"/>																																												
E-max	<input type="checkbox"/>																																												
Composite	<input type="checkbox"/>																																												
Porcelain Veneer - to cover natural coloured teeth	<input type="checkbox"/>																																												
Porcelain Veneer - for mildly discoloured teeth	<input type="checkbox"/>																																												
Porcelain Veneer - for severe discolouration	<input type="checkbox"/>																																												
PJC	<input type="checkbox"/>																																												
Porcelain Inlay	<input type="checkbox"/>																																												
Dentine Bonded Crown	<input type="checkbox"/>																																												
Temp. Crowns/Bridges	<input type="checkbox"/>																																												
Stent	<input type="checkbox"/>																																												
Wax up	<input type="checkbox"/>																																												
Study Model	<input type="checkbox"/>																																												
<p>Special Instructions</p>	<p>IMPLANTS - all systems accepted</p> <table style="width:100%; border-collapse: collapse;"> <tbody> <tr><td>Straumann</td><td style="text-align: center;"><input type="checkbox"/></td><td>Astra</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>3i</td><td style="text-align: center;"><input type="checkbox"/></td><td>Ankylos</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Nobel Biocare</td><td style="text-align: center;"><input type="checkbox"/></td><td>Bicon</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Neoss</td><td style="text-align: center;"><input type="checkbox"/></td><td>Other</td><td style="text-align: center;"><input type="checkbox"/></td></tr> <tr><td>Bio-Horizons</td><td style="text-align: center;"><input type="checkbox"/></td><td></td><td></td></tr> </tbody> </table>	Straumann	<input type="checkbox"/>	Astra	<input type="checkbox"/>	3i	<input type="checkbox"/>	Ankylos	<input type="checkbox"/>	Nobel Biocare	<input type="checkbox"/>	Bicon	<input type="checkbox"/>	Neoss	<input type="checkbox"/>	Other	<input type="checkbox"/>	Bio-Horizons	<input type="checkbox"/>																										
Straumann	<input type="checkbox"/>	Astra	<input type="checkbox"/>																																										
3i	<input type="checkbox"/>	Ankylos	<input type="checkbox"/>																																										
Nobel Biocare	<input type="checkbox"/>	Bicon	<input type="checkbox"/>																																										
Neoss	<input type="checkbox"/>	Other	<input type="checkbox"/>																																										
Bio-Horizons	<input type="checkbox"/>																																												
<p>THIS COMPLETE APPLIANCE HAS BEEN WHOLLY MANUFACTURED WITHIN THE UK</p>																																													
<p>LABORATORY USE ONLY</p> <table style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td><input type="checkbox"/> Rubber Imp</td> <td><input type="checkbox"/> Crown to shade match</td> <td><input type="checkbox"/> Face bow</td> </tr> <tr> <td><input type="checkbox"/> Alignate</td> <td><input type="checkbox"/> Bite registration</td> <td><input type="checkbox"/> Implant component</td> </tr> <tr> <td><input type="checkbox"/> Study model</td> <td><input type="checkbox"/> Photograph</td> <td><input type="checkbox"/> Other</td> </tr> <tr> <td colspan="3"><input type="checkbox"/> Email</td> </tr> </tbody> </table> <p>Metal Work _____ Weight _____</p> <p>Ceramist _____</p>		<input type="checkbox"/> Rubber Imp	<input type="checkbox"/> Crown to shade match	<input type="checkbox"/> Face bow	<input type="checkbox"/> Alignate	<input type="checkbox"/> Bite registration	<input type="checkbox"/> Implant component	<input type="checkbox"/> Study model	<input type="checkbox"/> Photograph	<input type="checkbox"/> Other	<input type="checkbox"/> Email																																		
<input type="checkbox"/> Rubber Imp	<input type="checkbox"/> Crown to shade match	<input type="checkbox"/> Face bow																																											
<input type="checkbox"/> Alignate	<input type="checkbox"/> Bite registration	<input type="checkbox"/> Implant component																																											
<input type="checkbox"/> Study model	<input type="checkbox"/> Photograph	<input type="checkbox"/> Other																																											
<input type="checkbox"/> Email																																													
<p>CONTRACT</p> <p>When signed for release, this device conforms to the relevant essential requirements set out in Annex 1 of the Medical Devices Directive (93/42) EEC. If there are any essential requirements not met these will be stated. This statement does not apply to repair etc. of a pre-manufactured appliance. The laboratory will manufacture the appliance as per the prescription, it is the prescribers responsibility to ensure that the prescription is completed correctly and complies to dental regulations.</p> <p>Approved for manufacture by: _____ Released by: _____</p>																																													

Keep away from extreme hot and cold. Non Sterile appliance